


Recall -- Firm Press Release

FDA posts press releases and other notices of recalls and market withdrawals from the firms involved as a service to consumers, the media, and other interested parties. FDA does not endorse either the product or the company.

TFH Publications, Inc./Nylabone Products Recalls Puppy Starter Kit Due To Possible Salmonella Health Risk

Contact:

Consumer:

1-877-273-7527 

FOR IMMEDIATE RELEASE - April 22, 2015 - TFH Publications, Inc./Nylabone Products, of Neptune, NJ is recalling one lot of its 1.69 oz. package of the Puppy Starter Kit dog chews, because they have the potential to be contaminated with *Salmonella*. *Salmonella* can affect animals ingesting the product and there is risk to humans from handling contaminated products, especially if they have not thoroughly washed their hands after having contact with the products or any surfaces exposed to these products.

Healthy people infected with *Salmonella* should monitor themselves for some or all of the following symptoms: nausea, vomiting, diarrhea or bloody diarrhea, abdominal cramping and fever. Rarely, *Salmonella* can result in more serious ailments, including arterial infections, endocarditis, arthritis, muscle pain, eye irritation, and urinary tract symptoms. Consumers exhibiting these signs after having contact with this product should contact their healthcare providers.


Pets with *Salmonella* infections may be lethargic and have diarrhea or bloody diarrhea, fever, and vomiting. Some pets will have only decreased appetite, fever and abdominal pain. Infected but otherwise healthy pets can be carriers and infect other animals or humans. If your pet has consumed the recalled product and has these symptoms, please contact your veterinarian.

The recalled Puppy Starter Kit consists of one lot of dog chews that were distributed nationwide, to Canada, and through one domestic online mail order facility.

The product comes in a 1.69 oz. package marked with Lot #21935, UPC 0-18214-81291-3, located on the back of the package, and with an expiration date of 3/22/18 also stamped on the back of the package.

The potential for contamination was noted after routine testing by the company revealed the presence of *Salmonella* in one lot of 1.69 oz. packages of the Puppy Starter Kit.

No illnesses have been reported to date in connection with this problem.

Consumers who have purchased 1.69 oz. packages of the Puppy Starter Kit from affected Lot 21935, UPC 0-18214-81291-3, Expiration date of 3/22/18, should discontinue use of the product and may return the unused portion to the place of purchase for a full refund. Consumers with questions may contact the company at 1-877-273-7527 , Monday through Friday from 8:00 am – 5:00 pm Central time (after hours/weekends covered by third-party poison control center).

###